

# SAFETY DATA SHEET

Version 8.6  
Revision Date 18.01.2024  
Print Date 24.02.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Calcium hydroxide for analysis EMSURE®  
ACS, Reag. Ph Eur

Product Number : 1.02047  
Catalogue No. : 102047  
Brand : Millipore  
CAS-No. : 1305-62-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

### 1.3 Details of the supplier of the safety data sheet

Company : MilliporeSigma Canada Ltd.  
2149 WINSTON PARK DRIVE  
OAKVILLE ON L6H 6J8  
CANADA

Telephone : +1 905 829-9500  
Fax : +1 905 829-9292

### 1.4 Emergency telephone

Emergency Phone # : +1-703-527-3887 CHEMTREC  
(International)  
24 Hours/day; 7 Days/week

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Skin irritation (Category 2), H315  
Serious eye damage (Category 1), H318  
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335  
Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard Statements

H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H402 Harmful to aquatic life.

Precautionary Statements

P261 Avoid breathing dust.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

- none

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula :  $\text{Ca}(\text{OH})_2$   
Molecular weight : 74.1 g/mol  
CAS-No. : 1305-62-0  
EC-No. : 215-137-3

Component	Classification	Concentration *
<b>Calcium hydroxide</b>	Skin Irrit. 2; Eye Dam. 1; STOT SE 3; Aquatic Acute 3; H315, H318, H335, H402	<= 100 %
* Weight %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## **SECTION 4: First aid measures**

### **4.1 Description of first-aid measures**

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### **4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

### **5.2 Special hazards arising from the substance or mixture**

Calcium oxide

Not combustible.

Ambient fire may liberate hazardous vapours.

### **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **5.4 Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains.

**6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

**6.4 Reference to other sections**

For disposal see section 13.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

For precautions see section 2.2.

**7.2 Conditions for safe storage, including any incompatibilities****Storage conditions**

Do not use light-weight-metal containers.

Tightly closed. Dry.

Recommended storage temperature see product label.

**Storage class**

Storage class (TRGS 510): 13: Non Combustible Solids

**7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with workplace control parameters**

Components	CAS-No.	Value	Control parameters	Basis
------------	---------	-------	--------------------	-------

Calcium hydroxide	1305-62-0	TWAEV	5 mg/m <sup>3</sup>	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	5 mg/m <sup>3</sup>	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		TWA	5 mg/m <sup>3</sup>	Canada. British Columbia OEL
		TWA	5 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)

## 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

### **Body Protection**

protective clothing

### **Respiratory protection**

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |   |  |
|---|--|
| a) Appearance                                   | Form: solid<br>Color: white  |
| b) Odor   | No data available  |
| c) Odor Threshold                               | No data available  |
| d) pH   | 12.4 - 12.6 at 20 °C (68 °F)   |
| e) Melting point/freezing point                 | Melting point/range: $\geq 450$ °C ( $\geq 842$ °F) - Regulation (EC) No. 440/2008, Annex, A.1 |
| f) Initial boiling point and boiling range      | 2,850 °C 5,162 °F - (decomposition)  |
| g) Flash point                                  | ( )Not applicable  |
| h) Evaporation rate                             | No data available  |
| i) Flammability (solid, gas)                    | The product is not flammable. - Flammability (solids)  |
| j) Upper/lower flammability or explosive limits | No data available  |
| k) Vapor pressure                               | No data available  |
| l) Vapor density                                | No data available  |
| m) Density                                      | 2.240 g/cm <sup>3</sup> at 20 °C (68 °F)   |
| Relative density                                | 2.2220 °C - OECD Test Guideline 109  |
| n) Water solubility                             | 1.85 g/l at 20 °C (68 °F) - Regulation (EC) No. 440/2008, Annex, A.6                           |
| o) Partition coefficient: n-octanol/water       | Not applicable for inorganic substances  |

- |                              |   |
|------------------------------|---|
| p) Autoignition temperature  | > 400 °C (> 752 °F) - Relative self-ignition temperature for solids |
| q) Decomposition temperature | No data available   |
| r) Viscosity                 | No data available   |
| s) Explosive properties      | No data available   |
| t) Oxidizing properties      | none  |

## 9.2 Other safety information

- |                 |  |
|-----------------|--|
| Bulk density    | ca.400 kg/m <sup>3</sup>                                   |
| Surface tension | 72 mN/m at 1g/l at 20 °C (68 °F) - OECD Test Guideline 115 |

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Exothermic reaction with:

hydrogen sulphide

Light metals

phosphorus

organic nitro compounds

acids

Risk of explosion with:

anhydrides

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

Light metals

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - > 2,000 mg/kg  
(OECD Test Guideline 425)

LC50 Inhalation - Rat - male and female - 4 h - > 6.04 mg/l - dust/mist

(OECD Test Guideline 436)

LD50 Dermal - Rabbit - male and female - > 2,500 mg/kg  
(OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin.

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye

(OECD Test Guideline 405)

Remarks: Risk of corneal clouding.

Risk of blindness!

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

#### Specific target organ toxicity - repeated exposure

No data available



### **Aspiration hazard**

No data available

## **11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 50.6 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 49.1 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 184.6 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - 300.4 mg/l - 3 h (OECD Test Guideline 209)

### **12.2 Persistence and degradability**

The methods for determining biodegradability are not applicable to inorganic substances.

### **12.3 Bioaccumulative potential**

Does not bioaccumulate.

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **12.6 Endocrine disrupting properties**

No data available

### **12.7 Other adverse effects**

Biological effects:

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Neutralisation possible in waste water treatment plants.

Discharge into the environment must be avoided.

---

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## **SECTION 14: Transport information**

#### **TDG**

Not regulated as a dangerous good

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

---

## **SECTION 15: Regulatory information**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

---

## **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 8.6

Revision Date: 18.01.2024

Print Date: 24.02.2024